

§ 250.1910

(e) Develop and endorse a written description of your safety and environmental policies and organizational structure that define responsibilities, authorities, and lines of communication required to implement the SEMS program.

(f) Utilize personnel with expertise in identifying safety hazards, environmental impacts, optimizing operations, developing safe work practices, developing training programs and investigating incidents.

(g) Ensure that facilities are designed, constructed, maintained, monitored, and operated in a manner compatible with applicable industry codes, consensus standards, and generally accepted practice as well as in compliance with all applicable governmental regulations.

(h) Ensure that management of safety hazards and environmental impacts is an integral part of the design, construction, maintenance, operation, and monitoring of each facility.

(i) Ensure that suitably trained and qualified personnel are employed to carry out all aspects of the SEMS program.

(j) Ensure that the SEMS program is maintained and kept up to date by means of periodic audits to ensure effective performance.

§ 250.1910 What safety and environmental information is required?

(a) You must require that SEMS program safety and environmental information be developed and maintained for any facility that is subject to the SEMS program.

(b) SEMS program safety and environmental information must include:

(1) Information that provides the basis for implementing all SEMS program elements, including the requirements of hazard analysis (§ 250.1911);

(2) process design information including, as appropriate, a simplified process flow diagram and acceptable upper and lower limits, where applicable, for items such as temperature, pressure, flow and composition; and

(3) mechanical design information including, as appropriate, piping and instrument diagrams; electrical area classifications; equipment arrangement drawings; design basis of the re-

30 CFR Ch. II (7–1–13 Edition)

lief system; description of alarm, shut-down, and interlock systems; description of well control systems; and design basis for passive and active fire protection features and systems and emergency evacuation procedures.

§ 250.1911 What hazards analysis criteria must my SEMS program meet?

You must ensure that a hazards analysis (facility level) and a JSA (operations/task level) are developed and implemented for all of your facilities and activities identified or discussed in your SEMS. You must document and maintain a current analysis for each operation covered by this section for the life of the operation at the facility. You must update the analysis when an internal audit is conducted to ensure that it is consistent with your facility's current operations.

(a) *Hazards analysis (facility level).* The hazards analysis must be appropriate for the complexity of the operation and must identify, evaluate, and manage the hazards involved in the operation.

(1) The hazards analysis must address the following:

(i) Hazards of the operation;

(ii) Previous incidents related to the operation you are evaluating, including any incident in which you were issued an Incident of Noncompliance or a civil or criminal penalty;

(iii) Control technology applicable to the operation your hazards analysis is evaluating; and

(iv) A qualitative evaluation of the possible safety and health effects on employees, and potential impacts to the human and marine environments, which may result if the control technology fails.

(2) The hazards analysis must be performed by a person(s) with experience in the operations being evaluated. These individuals also need to be experienced in the hazards analysis methodologies being employed.

(3) You should assure that the recommendations in the hazards analysis are resolved and that the resolution is documented.

(4) A single hazards analysis can be performed to fulfill the requirements for simple and nearly identical facilities, such as well jackets and single